

Safety Data Sheet

SECTION 1: Product and company identification

Product name : Flash Klene-Orange

Use of the substance/mixture : Cleaner Product code : 066501

Company : Share Corporation

P.O. Box 245013

Milwaukee, WI 53224 -USA

T -(414) 355-4000

Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Corr. 1B H314 Skin Sens. 1 H317

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS05

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Causes severe skin burns and eye damage

May cause an allergic skin reaction

Precautionary statements (GHS-US) : Do not breathe dust.

Avoid breathing dust.

Wash thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Wear eye protection, protective clothing, protective gloves. If swallowed: rinse mouth. Do NOT induce vomiting If on skin: Wash with plenty of soap and water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Immediately call a doctor, a POISON CENTER

Specific treatment (see First aid measures on this label) If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
sodium carbonate	(CAS-No.) 497-19-8	55-70	Eye Irrit. 2, H319

 Date of Issue: 3/16/2018
 Revision date: 02/23/2018
 Version: 1.2
 P GHS SDS
 Page 1 of 7



Safety Data Sheet

Name	Product identifier	%	GHS-US classification
trisodium orthophosphate, dodecahydrate	(CAS-No.) 10101-89-0	3-7	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
disodium metasilicate	(CAS-No.) 6834-92-0	3-7	Skin Corr. 1B, H314 STOT SE 3, H335
(+)-limonene	(CAS-No.) 5989-27-5	1-5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Benzenesulfonic acid, C10-16-alkyl derivatives	(CAS-No.) 68584-22-5	1-5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
Linear Alcohol Ethoxylate	(CAS-No.) 34398-01-1	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium Trimetaphosphate	(CAS-No.) 7785-84-4	0.1-0.2	Not classified

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Caustic burns/corrosion of the skin. May cause an allergic skin reaction. Repeated exposure may

cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/effects after ingestion : Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing media to the environment.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water moderately and if possible collect

or contain it. Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

Date of Issue: 3/16/2018 Revision date: 02/23/2018 Version: 1.2 P GHS SDS Page 2 of 7



Safety Data Sheet

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read

and understood. Use personal protective equipment as required. Do not eat, drink or smoke

when using this product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in original container.

Incompatible products : Strong acids. Oxidizing agent.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.

: No data available







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : fine, free-flowing orange powder.

Citrus scent Odor Odor threshold No data available рΗ 12.5 -10% solution Melting point No data available Freezing point No data available **Boiling point** No data available : No data available Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure No data available Relative density : No data available

Specific gravity / density : ND

Relative vapor density at 20 °C

Solubility : Soluble in water.

Log Pow : No data available

Log Kow : No data available

Date of Issue: 3/16/2018 Revision date: 02/23/2018 Version: 1.2 P GHS SDS Page 3 of 7



Safety Data Sheet

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

VOC content : < 3 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Acute toxicity	: Not classified		
Benzenesulfonic acid, C10-16-alkyl d	erivatives (68584-22-5)		
LD50 oral rat	530 mg/kg		
ATE CLP (oral)	530 mg/kg body weight		
(+)-limonene (5989-27-5)			
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across)		
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence)		
Linear Alcohol Ethoxylate (34398-01-	1)		
LD50 oral rat	> 1400 mg/kg		
sodium carbonate (497-19-8)			
LD50 oral rat	2800 mg/kg (Rat, Male/female, Experimental value)		
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500. 40, 24 h, Rabbit, Experimental value)		
LC50 inhalation rat (mg/l)	(2 h, Rat, Male, Experimental value)		
ATE CLP (oral)	2800 mg/kg body weight		
ATE CLP (vapors)	2.3 mg/l/4h		
ATE CLP (dust, mist)	2.3 mg/l/4h		
trisodium orthophosphate, dodecahy	rdrate (10101-89-0)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value)		
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Read-across)		
LC50 inhalation rat (mg/l)	> 0.83 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Read-across)		
Skin corrosion/irritation	: Causes severe skin burns and eye damage.		
	pH: 12.5 -10% solution		
Serious eye damage/irritation	: Not classified		
	pH: 12.5 -10% solution		
Respiratory or skin sensitization	: May cause an allergic skin reaction.		
Serm cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		

Date of Issue: 3/16/2018 Revision date: 02/23/2018 Version: 1.2 P GHS SDS Page 4 of 7



Safety Data Sheet

Reproductive toxicity : Not classified Specific target organ toxicity - single exposure : Not classified

Specific target organ toxicity - repeated exposure

: Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Caustic burns/corrosion of the skin. May cause an allergic skin reaction. Repeated exposure

may cause skin dryness or cracking.

: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Symptoms/effects after eye contact Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhoea. Symptoms/effects after ingestion

: Skin and eye contact Likely routes of exposure

SECTION 12: Ecological information

4	4		•		
				ci	

(+)-limonene (5989-27-5)	
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
Linear Alcohol Ethoxylate (34398-0	1-1)
LC50 fish 1	< 10 mg/l
EC50 Daphnia 1	< 10 mg/l
ErC50 (algae)	< 10 mg/l
sodium carbonate (497-19-8)	
LC50 fish 1	300 mg/l (Other, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	200 - 227 mg/l (Other, 48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value)
trisodium orthophosphate, dodecah	ydrate (10101-89-0)
LC50 fish 1	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Read-across)
EC50 Daphnia 1	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 (algae)	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value)

12.2. Persistence and degradability

(+)-limonene (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O₂/g substance	
sodium carbonate (497-19-8)		
Persistence and degradability	Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable (inorganic)	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
trisodium orthophosphate, dodecahydrate (10101-89-0)		
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable (inorganic)	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	

12.3. Bioaccumulative potential

Date of Issue: 3/16/2018 Revision date: 02/23/2018 Version: 1.2 P GHS SDS Page 5 of 7



Safety Data Sheet

(+)-limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 Log Kow 5).
sodium carbonate (497-19-8)	
Log Pow	-6.19 (Estimated value)
Bioaccumulative potential	Not bioaccumulative.
trisodium orthophosphate, dodecahydra	ate (10101-89-0)
Bioaccumulative potential	Not bioaccumulative.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

: Dispose in a safe manner in accordance with local/national regulations.

recommendations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Linear Alcohol Ethoxylate (34398-01-1)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

trisodium orthophosphate, dodecahydrate (10101-89-0)	
Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	5000 lb

Sodium Trimetaphosphate (7785-84-4)	
Not subject to reporting requirements of the United States SARA Section 313	

Date of Issue: 3/16/2018 Revision date: 02/23/2018 Version: 1.2 P GHS SDS Page 6 of 7



Safety Data Sheet

Sodium Trimetaphosphate (7785-84-4)	
CERCLA RQ	5000 lb



This product can expose you to sulphur dioxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual

injury.

NFPA fire hazard : 0 - Materials that will not burn under typical dire conditions, including intrinsically noncombustible

materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of Issue: 3/16/2018
 Revision date: 02/23/2018
 Version: 1.2
 P GHS SDS
 Page 7 of 7