CORP ALGAECIDE

ACTIVE INGREDIENTS

Poly[oxyethylene (dir	nethyliminio) ethylene (dimethyliminio) ethylene dichloride] 10.0	00%
INERT INGREDIENTS	<u>90.(</u>	<u>)0</u> %
TOTAL		00%

This product contains 0.85 lbs. of active ingredient per gallon and weighs 8.49 lbs. per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

EPA REG. NO. 10088-78 -11547 EPA EST. 11547-WI-1

NET CONTENTS: 1 5 20 35 55 GALLON(S)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Wear chemicalresistant apron Causes moderate eve irritation Wear chemical-resistant evewear. Avoid contact with skin, eves or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Bemove and wash contaminated clothing hefore reuse

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-

to-mouth if possible. Call a poison control center or doctor for further treatment advice

IF IN EYES: Hold eve open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes. then continue rinsing eve. Call a poison control center or doctor for treatment advice

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

All handlers must wear: long-sleeved shirt and long pants, socks and shoes, chemical-resistant gloves, chemical-resistant apron, protective evewear. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents). call the National Pesticide Information Center at 1-800-858-7378

For information on product, usage, etc., call 1-800-776-7192. ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and clams. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS This product is incompatible with oxidizing agents.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label

For Commercial Use

This algaecide is used to control the growth of algae in swimming pools, exterior spas, whirlpools, hot tubs and decorative fountains. For maximum effectiveness, pools, spas, whirlpools and decorative fountains containing heavy growth of algae must be cleaned prior to using this product.

For pools having just visible algae growth, add an initial dose of 75 to 116 fluid ounces per 10.000 gallons of water and remove the settled algae debris by cleaning. For treatment of freshly cleaned and filled pools, add initially 41 to 75 fluid ounces per 10.000 gallons of water. Subsequent additions of 13.6 to 27 fluid ounces per 10.000 gallons of water must be made every 5 to 7 days after initial treatment for maintenance.

Spas, whirlpools, hot tubs and decorative fountains having just visible algae growth require an initial dose of 8 to 12 ounces per 1,000 gallons of water. For treatment of a freshly cleaned and filled spa, whirlpool, hot tub or decorative fountain, add initially 4 to 8 ounces per 1,000 gallons of water. Subsequent additions of 1 to 3 fluid ounces should be made every 5 to 7 days after initial treatment for maintenance.

This algaecide is compatible with chemicals normally used to treat pools, spas and decorative fountains, and is effective at both acid and alkaline pH. It can be used in pools, spas and decorative fountains treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix with concentrated dry or liquid chlorine products.

STORAGE AND DISPOSAL

Do Not Contaminate Water, Food, or Feed By Storage or Disposal

Storage: Store in a dry place no lower in temperature than 50°F or higher than 120°F.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility

Container Handling: Nonrefillable container. Do not reuse or refill container. Offer for recycling, if available. If not, puncture and dispose of in sanitary landfill or by incineration if allowed by state and local authorities. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the fl ow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times.

Container Handling For Greater than 5 gallons

Container Handling: Nonrefillable container. Do not reuse or refill container. Offer for recycling, if available. If not, puncture and dispose of in a sanitary landfill or by incineration if allowed by state and local authorities. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.