



## SECTION 1: Product and company identification

Product name : French Vanilla Air Freshener

Use of the substance/mixture : Aerosol

Odorant

Product code : 859801 8598

Company : Share Corporation

P.O. Box 245013

Milwaukee, WI 53224 - USA

T (414) 355-4000

Emergency number : Chemtrec: (800) 424-9300

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Flam. Aerosol 2 H223 Press. Gas (Comp.) H280

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)







GHS02

HSOA

GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : Flammable aerosol

Contains gas under pressure; may explode if heated

May cause an allergic skin reaction

Precautionary statements (GHS-US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

Full text of H-phrases: see section 16

## 3.2. Mixtures

S.2. WHATH CS			
Name	Product identifier	%	GHS-US classification
Petroleum gases, liquefied, sweetened, Petroleum gas, [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).]	(CAS-No.) 68476-86-8	10 - 30	Flam. Gas 1, H220 Press. Gas (Comp.), H280 Muta. 1B, H340 Carc. 1A, H350

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Date of issue: 11/2/2018 Revision date: 11/02/2018 Version: 1.1 P GHS SDS Page 1 of 6



# SHARE

## **SECTION 4: First aid measures**

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove the victim into fresh air. Artificial respiration and/or oxygen if necessary. If experiencing

respiratory symptoms: Call a poison center or a doctor.

First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth with water. Do not induce vomiting without medical advice. Get medical

advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes eye irritation.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder. Carbon dioxide. Foam. Water spray. Water fog.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable aerosol.

Explosion hazard : Contains gas under pressure; may explode if heated.

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Do not breathe fumes from fires or vapors

from decomposition. Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No flames, no sparks. Eliminate all sources of ignition. No open flames. No smoking.

6.1.1. For non-emergency personnel

Protective equipment : Do not enter without an appropriate protective equipment.

Emergency procedures : No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Take up liquid spill into inert absorbent material. Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

For containment : Dam up the liquid spill. Collect spillage.

Methods for cleaning up : Take up liquid spill into inert absorbent material.

**6.4.** Reference to other sections

No additional information available

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Keep away from heat, sparks and

flame.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Do not puncture, incinerate or crush.

Storage conditions : Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep cool. Protect from sunlight. Store in a

well-ventilated place. Store in a dry place.

Incompatible products : alkalis. Strong oxidizers. Acids.

Date of issue: 11/2/2018 Revision date: 11/02/2018 Version: 1.1 P GHS SDS Page 2 of 6



Storage area : Store in a well-ventilated place.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Petroleum gases, liquefied, sweetened, Petroleum gas, [A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] (68476-86-8)

Not applicable

#### 8.2. Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Personal protective equipment

Safety glasses. Gloves. Use appropriate personal protective equipment when risk assessment indicates this is necessary.





## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Aerosol. White. mist.
Odor : characteristic
Odor threshold : No data available

pH : 7

Melting point: No data availableFreezing point: No data availableBoiling point: No data available

Flash point : > 200 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** No data available : No data available Explosive properties Oxidizing properties No data available Vapor pressure : No data available : No data available Relative density Relative vapor density at 20 °C No data available

Specific gravity / density : 0.97 g/ml

Solubility : Moderately soluble in water.

Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

VOC content : 25 %

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

## 10.2. Chemical stability

Stable under normal conditions.

Date of issue: 11/2/2018 Revision date: 11/02/2018 Version: 1.1 P GHS SDS Page 3 of 6



## Safety Data Sheet

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Oxidizing agent. Acids. alkalis.

#### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified
Skin corrosion/irritation : Not classified.
pH: 7

Serious eye damage/irritation : Not classified.

pH: 7

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified. Carcinogenicity : Not classified. Reproductive toxicity : Not classified Specific target organ toxicity – single exposure : Not classified. Specific target organ toxicity – repeated : Not classified

exposure

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : Gastrointestinal complaints.

Likely routes of exposure : Skin and eye contact;Ingestion;Inhalation

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

## 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container to comply with local/regional/national/international regulations.

## **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT: Not regulated for transport

Transport document description : UN1950 Aerosols flammable, (each not exceeding 1 L capacity), 2.1

UN-No.(DOT) : UN1950
Proper Shipping Name (DOT) : Aerosols

flammable, (each not exceeding 1 L capacity)

Class (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Date of issue: 11/2/2018 Revision date: 11/02/2018 Version: 1.1 P GHS SDS Page 4 of 6

## Safety Data Sheet

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Special Provisions (49 CFR 172.102) : N82 DOT Packaging Exceptions (49 CFR : 306

173.xxx)

DOT Quantity Limitations Passenger : 75 kg

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft : 150 kg

only (49 CFR 175.75)

DOT Vessel Stowage Location : A

DOT Vessel Stowage Other : 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

**Additional information** 

Other information : When transported by ground, this product may be eligible to be shipped as a Limited Quantity or

Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.306. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and

labeling may be required.

**ADR** 

No additional information available

Transport by sea

UN-No. (IMDG) : UN1950

Proper Shipping Name (IMDG) : Aerosols, Ltd. Qty.
Class (IMDG) : 2.1 - Flammable gases

Air transport

UN-No. (ÎATA) : UN1950

Proper Shipping Name (IATA) : Aerosols, Ltd. Qty.
Class (IATA) : 2.1 - Gases : Flammable

#### **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

## **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H220	Extremely flammable gas	
H280	Contains gas under pressure; may explode if heated	
H340	May cause genetic defects	
H350	May cause cancer	


Date of issue: 11/2/2018 Revision date: 11/02/2018 Version: 1.1 P GHS SDS Page 5 of 6



NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 11/2/2018
 Revision date: 11/02/2018
 Version: 1.1
 P GHS SDS
 Page 6 of 6